



**EKOTEKS**

**EKOTEKS LABORATUVAR ve GÖZETİM  
HİZMETLERİ A.Ş.**

Esenyurt Firuzköy Bulvarı No:29 34325 Avcılar  
İstanbul/ TÜRKİYE



Test  
TS EN ISO/IEC 17025  
AB-0583-T

**TEST REPORT  
DENEY RAPORU**

AB-0583-T

20022707

07-20

**Customer name:** ARITEKS BOYACILIK TİCARET VE SAN. A.Ş.  
**Address:** Hacı Şeremet 4. Sok. 59850 YULAFLI/ ÇORLU/ TEKİRDAĞ  
**Buyer name:** -  
**Contact Person:** ÖZGÜR KUŞKU  
**Order No:** -  
**Article No:** Arox T2 WR/ Antibac-5030  
**Name and identity of test item:** One sample of white woven fabric.  
**The date of receipt of test item:** 04.07.2020  
**Re-submitted/re-confirmation date:** -  
**Date of test:** 04.07.2020-10.07.2020  
**Remarks:** -  
**Sampling:** The results given in this report belong to the received sample by vendor.  
**End-Use:** -  
**Care Label:** Not Specified  
**Number of pages of the report:** 3

*The Turkish Accreditation Agency (TURKAK) is signatory to the multilateral agreements of the European co-operation for the Accreditation (EA) and of the International Laboratory Accreditation (ILAC) for the Mutual recognition of test reports.*

*EKOTEKS LABORATUVAR ve GÖZETİM HİZMETLERİ A.Ş. accredited by TÜRKAK under registration number [AB-0583-T] for ISO 17025:2017 as test laboratory.*

*The test and/or measurement results, the uncertainties (if applicable) with confidence probability and test methods are given on the following pages which are part of this report.*

**Seal**

**Date**  
14.07.2020

**Customer Representative**  
Özlem ULUS

**Head of Testing Laboratory**  
Sevim A. RAZAK

This report shall not be reproduced other than in full except with the permission of the laboratory.  
Testing reports without signature and seal are not valid.

**EKOTEKS LABORATUVAR ve GÖZETİM  
HİZMETLERİ A.Ş.**

20022707

07-20

REQUIRED TESTS	RESULT	COMMENTS
<b>COLOUR FASTNESS TESTS</b>		
Colour Fastness to Rubbing	-	
No requirement was given by vendor.		

REMARK: Original samples are kept for 3 months and all technical records are kept for 5 years unless otherwise specified. Tests marked (\*) in this report are not included in the accreditation schedule. If requested, measurement uncertainty will be reported. But unless otherwise specified, measurement uncertainty is not considered while stating compliance with specification or limit values. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor  $k=2$ , providing a level of confidence of approximately 95 %.



Gen.f136-2/03

This report shall not be reproduced other than in full except with the permission of the laboratory.  
*Testing reports without signature and seal are not valid.*

**EKOTEKS LABORATUVAR ve GÖZETİM  
HİZMETLERİ A.Ş.**

20022707

07-20

## TEST RESULTS

### **RUBBING; ISO 105 X12:2016**

Performed in the conditioned room(20±2°C-65%±4)

Finger type:Cylindrical

Downward force : 9±0.2 N

Water absorption rate of rubbing cloth : 95 % - 100 %

Evaluated with ISO 105 A03 standart grey scale for staining assessment.

	<b><u>RESULT</u></b>	<b><u>REQUIREMENT</u></b>
<b>Dry</b>	5	-
<b>Wet</b>	4-5	-

Gen.f136-2/03

### **COLOUR FASTNESS RATING**

#### **COLOUR CHANGE**

5	Negligible or no change
4	Slightly changed
3	Noticeably changed
2	Considerably changed
1	Much changed

#### **COLOUR STAINING**

5	Negligible or no staining
4	Slightly stained
3	Noticeably stained
2	Considerably stained
1	Much stained